


MSDS - Material Safety Data Sheet**Product Name: Epoxy Putty****MSDS No.: 044010****Part Numbers Covered:**

044010	044207	044217	044230	044040-288	044155-D	044170-120	044180-D
044011	044208	044218	044235	044150-12	044160-120	044170-D	044181-D
044015	044209	044220	044020-12	044150-120	044160-D	044175-120	044182-120
044025	044210	044221	044020-288	044150-D	044162-D	044176-120	044182-D
044100	044211	044222	044030-12	044152-12	044163-D	044176-D	044184-12
044165	044212	044223	044030-288	044153-D	044165-12	044177-D	044184-D
044205	044214	044224	044030-C	044155-12	044165-120	044178-D	044213-D
044206	044216	044228	044040-12	044155-120	044170-12	044179-D	

I. Basic Information:

Manufacturer: WILLIAM H. HARVEY COMPANY
Address: 4334 SOUTH 67TH STREET
City, ST Zip: OMAHA, NE 68117-1019

**Last Update:** 7/8/2002

Chemical State: ☐ Liquid ☐ Gas ☒ Solid

Chemical Type: ☐ Pure ☒ Mixture

1	Health
0	Reactivity
0	Pers. Protection

II. Ingredients:

CAS No.	Chemical Name	% Range	EHS	NTP	IARC	SUB Z	SARA 313	OSHA PEL	ACGIH TLV	Other Limits
90722	2, 4, 6 - TRI(DIMETHYLAMINOMETHYL)PHENOL	NI						NI	NI	NI
25068386	EPOXY RESIN	NI						NI	NI	NI

III. Hazardous Identification:**Hazard Category:**

☐ Acute ☐ Chronic ☐ Fire ☐ Pressure ☐ Reactive

Hazardous Identification Information:

NDA

IV. First Aid Measures:**Route(s) of Entry:**

SKIN AND INGESTION (NON-TOXIC)

Health Hazards (Acute and Chronic):

MAY IRRITATE SENSITIVE SKIN; ALSO POSSIBLE EYE IRRITANT; PRODUCT IS NON-TOXIC

Signs and Symptoms:

SOME IRRITATION AFTER PROLONGED EXPOSURE

Medical Conditions Generally Aggravated by Exposure:

MSDS - Material Safety Data Sheet

Product Name: *Epoxy Putty*

MSDS No.: 044010

IRRITATION TO SKIN AND EYES POSSIBLE; AVOID EXCESSIVE SKIN CONTACT; POSSIBLE SENSITIZATION

Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT

EYES: FLUSH WITH LARGE AMOUNTS OF WATER AND CONSULT A PHYSICIAN SKIN: WASH HANDS WITH SOAP AND WATER

INGESTION: INDUCE VOMITING

Other Health Warnings:

NI

V. Fire Fighting Measures:

Flash Point: NI

Lower Explosive Limit: NI

Upper Explosive Limit:

Fire Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, FOAM AND WATER SPRAY

Special Fire Fighting Procedures:

NI

Unusual Fire and Explosion:

IN EVENT OF FIRE- CO, ALDEHYDEES- OXIDES OF SULFUR AND NITROGEN, AND ACIDS MAY BE FORMED.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

DISPOSE OF IN A NORMAL MANNER - PUTTY IS NOT A POTENTIAL POLLUTANT

VII. Handling and Storage:

Precautions to be Taken:

DO NOT STORE NEAR SOURCES OF HEAT.

Other Precautions:

MAY BE HARMFUL IF SWALLOWED; KEEP OUT OF REACH OF CHILDREN AND PETS!

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

LOCAL EXHAUST IS NEEDED ONLY IF HEATED ABOVE 100 F DEG

Personal Protective Equipment:

USE POLYETHYLENE GLOVES FOR PROLONGED USE, KEEP OUT OF EYES. NORMAL GOOD HYGIENIC PRACTICES; WASH WITH SOAP AND WATER IMMEDIATELY AFTER CONTACT.

MSDS - Material Safety Data Sheet

Product Name: *Epoxy Putty*

MSDS No.: 044010

IX. Physical and Chemical Properties:

Boiling Point: NI **Melting Point:** NI **Evaporation Rate:** NI
Vapor Pressure (mm Hg.): NI **Vapor Density (AIR = 1):** NI
Solubility In Water: NONE
Appearance and Odor: METALLIC PUTTY WITH METCAPTAN ODOR
Other Information:

X. Stability and Reactivity:

Stability:
STABLE

Incompatibility (Materials to Avoid):

Decomposition/By Products:

C03, ALDEHYDES, ACIDS AND OXIDES OF SULFUR AND NITROGEN

Hazardous Polymerization:

WILL NOT OCCUR

XI. Toxicological Information:

NDA

XII. Ecological Information:

NDA

XIII. Disposal Considerations:

INCINERATE IN FURNACE OR DISPOSE OF WASTE ACCORDING TO APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS.

XIV. Transport Information:

TRANSPORATION INFORMATION:

DOT PROPER SHIPPING NAME: EPOXY PUTTY
DOT LABEL: NOT REGULATED
DOT NUMBER: N/A
UN NUMBER: N/A
IMCO CLASS: N/A
DOT HAZARD CLASSIFICATION: N/A

XV. Regulatory Information:

NDA

MSDS - Material Safety Data Sheet

Product Name: Epoxy Putty

MSDS No.: 044010

XVI. Other Information:

ABBREVIATIONS:

N/A = NOT APPLICABLE N/I = NONE INDICATED NDA = NO DATA AVAILABLE
N/E = NOT ESTABLISHED C = CELSIUS DEGREES F = FAHRENHEIT DEGREES

DISCLAIMER:

THE INFORMATION HEREIN HAS BEEN COMPILED FROM SOURCES BELEIVED TO BE RELIABLE, UP-TO-DATE, AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, WILLIAM H. HARVEY COMPANY CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES, AND EXPRESSLY DOES NOT MAKE WARRANTIES, NOR ASSUMES ANY LIABILITY FOR ITS USES.